



Gujarat Public Service Commission

Sector-10 A, Near CHH-3 Circle, CHH Road,
Gandhinagar-382010

No.RCT-1490-102020-R-3

Detailed Interview Programme

Advt. No.	23/2020-21
Name of Post	Assistant Director, Boiler, Gujarat Boiler Service, Class-II

E-No.	Roll No.	Interview Date & Time
E-1	101000002	Date : 05/06/2023 Time : 11:00 a.m.
E-2	101000003	
E-3	101000004	
E-4	101000005	
E-5	101000009	
E-6	101000014	
E-7	101000018	
E-8	101000019	
E-9	101000028	
E-10	101000038	
E-11	101000052	

Note:

1. All the candidates are requested to remain present at 09:30 A.M. at the GPSC Bhavan at above mentioned address.
2. All the candidates (including those who don't get physical interview call letters timely at their correspondence address due to some unavoidable circumstance) are requested to remain present with all the original requisite documents and one set of self-attested documents as per the provisions of advertisement.
3. All the candidates must wear proper mask for entire interview procedure and strictly follow the COVID-19 guidelines issued by the Government.

Date: 20/05/2023
Place: Gandhinagar

Sd/-
(Vina Patel)
Joint Secretary
Gujarat Public Service Commission